











- 感染相关因素[J]. 中国老年学杂志, 2018, 38(21): 5207-5209. DOI:10.3969/j.issn.1005-9202.2018.21.036.
- Xie CY, Qin JL, Xiong Y, et al. Related factors of multi drug resistant bacteria infection in elderly health care pneumonia[J]. Chin J Gerontol, 2018, 38(21): 5207-5209. DOI:10.3969/j.issn.1005-9202.2018.21.036.
- [24] 佟豪, 田改生, 杨奕. 老年社区获得性多重耐药菌感染原因分析及预防措施[J]. 世界最新医学信息文摘(连续型电子期刊), 2014, (34): 203-204. DOI: 10.3969/j.issn.1671-3141.2014.34.180.
- Tong H, Tian GS, Yang Y. Cause analysis and preventive measures of community acquired multi drug resistant bacteria infection in the elderly[J]. Latest Med Inf Abstr World, 2014, (34): 203-204. DOI: 10.3969/j.issn.1671-3141.2014.34.180.
- [25] 中国疾病预防控制中心新型冠状病毒肺炎应急响应机制流行病学组. 新型冠状病毒肺炎流行病学特征分析[J]. 中华流行病学杂志, 2020, 41(2): 145-151. DOI:10.3760/cma.j.issn.0254-6450.2020.02.003.
- Epidemiology Working Group for NCIP Epidemic Response. The epidemiological characteristics of an outbreak of 2019 novel coronavirus diseases (COVID-19) in China[J]. Chin J Epidemiol, 2020, 41(2): 145-151. DOI: 10.3760/cma.j.issn.0254-6450.2020.02.003.
- [26] European Centre for Disease Prevention and Control. Rapid risk assessment: Coronavirus disease 2019 (COVID-19) in the EU/EEA and the UK-ninth update[EB/OL]. (2020-04-23) [2020-07-05]. <https://www.ecdc.europa.eu/en/publications-data/rapid-risk-assessment-coronavirus-disease-2019-covid-19-pandemic-ninth-update#no-link>; EuropeanCentreforDiseasePreventionandControl. 2020.
- [27] European Centre for Disease Prevention and Control. Surveillance of COVID-19 at long-term care facilities in the EU/EEA[EB/OL]. (2020-05-19) [2020-07-05]. <https://www.ecdc.europa.eu/en/publications-data/surveillance-COVID-19-long-term-care-facilities-EU-EEA>.
- [28] Arons MM, Hatfield KM, Reddy SC, et al. Presymptomatic SARS-CoV-2 Infections and Transmission in a Skilled Nursing Facility[J]. N Engl J Med, 2020, 382(22): 2081-2090. DOI:10.1056/NEJMoa2008457.
- [29] 胡付品. 2005-2014年CHINET中国细菌耐药性监测网5种重要临床分离菌的耐药性变迁[J]. 中国感染与化疗杂志, 2017, 17(1): 93-99. DOI: 10.16718/j.1009-7708.2017.01.016.
- Hu FP. Resistance trends among clinical isolates in China reported from CHINET surveillance of bacterial resistance, 2005-2014[J]. Chin J Infect Chemother, 2017, 17(1): 93-99. DOI:10.16718/j.1009-7708.2017.01.016.
- [30] Menni C, Sudre CH, Steves CJ, et al. Quantifying additional COVID-19 symptoms will save lives[J]. Lancet, 2020, 395(10241): e107-108. DOI: 10.1016/s0140-6736(20)31281-2.
- [31] Pollán M, Pérez-Gómez B, Pastor-Barriuso R, et al. Prevalence of SARS-CoV-2 in Spain (ENE-COVID): a nationwide, population-based seroepidemiological study [J]. Lancet, 2020, 396(10250): 535-544. DOI: 10.1016/s0140-6736(20)31483-5.
- [32] 遏制细菌耐药国家行动计划(2016-2020年)[J]. 药物不良反应杂志, 2016, 18(5): 398-400.
- National action plan to curb bacterial resistance (2016-2020)[J]. Adv Drug React J, 2016, 18(5): 398-400.