

部门的方方面面的数据尚处于“孤立”或“缺位”状态,尚难以支撑“将健康融入所有政策,把全生命周期健康管理理念贯穿城市规划、建设、管理全过程各环节”目标的实现。此外,海量大数据背景下,如何运用人工智能技术和大数据挖掘技术,建立智能化的疾病防控体系也有待进一步的探索。

利益冲突 所有作者均声明不存在利益冲突

参 考 文 献

- [1] 刘建华,张培,徐承中,等.健康管理大数据构建与实践[J].中华流行病学杂志,2019,40(2):227-230. DOI:10.3760/cma.j.issn.0254-6450.2019.02.019.
- [2] Liu JH, Zhang P, Xu CZ, et al. Construction and use of big data for health management[J]. Chin J Epidemiol, 2019, 40(2): 227-230. DOI: 10.3760/cma. j. issn. 0254-6450.2019. 02.019.
- [3] 王玉琢,马虹霞,靳光付,等.大数据时代的流行病学研究:机遇、挑战与展望[J].中华流行病学杂志,2021,42(1):10-14. DOI:10.3760/cma.j.cn112338-20201203-01377.
- [4] Wang YZ, Ma HX, Jin GF, et al. Epidemiological research in the big data era: opportunities, challenges and perspectives[J]. Chin J Epidemiol, 2021, 42(1):10-14. DOI: 10.3760/cma.j.cn112338-20201203-01377.
- [5] 国务院办公厅.国务院办公厅关于促进和规范健康医疗大数据应用发展的指导意见[EB/OL]. (2016-01-21) [2021-02-20]. http://www.gov.cn/gongbao/content/2016/content_5088769.htm.
- [6] General Office of the State Council. General Office of the State Council Guidance on promoting and standardizing the application and development of health care big data [EB/OL]. (2016-01-21) [2021-02-20]. http://www.gov.cn/gongbao/content/2016/content_5088769.htm.
- [7] Li HL, Lin HB, Zhao HY, et al. Statins use and risk of new-onset diabetes in hypertensive patients: a population-based retrospective cohort study in Yinzhou district, Ningbo city, People's Republic of China[J]. Ther Clin Risk Manag, 2018, 14:823-832. DOI:10.2147/TCRM.S158850.
- [8] Lin HB, Tang X, Shen P, et al. Using big data to improve cardiovascular care and outcomes in China: a protocol for the Chinese electronic health records research in Yinzhou (CHERRY) study[J]. BMJ Open, 2018, 8(2):e019698. DOI: 10.1136/bmjopen-2017-019698.
- [9] Zhang DD, Tang X, Shen P, et al. Multimorbidity of cardiometabolic diseases: prevalence and risk for mortality from one million Chinese adults in a longitudinal cohort study[J]. BMJ Open, 2019, 9(3): e024476. DOI:10.1136/bmjopen-2018-024476.
- [10] Wang JW, Bao BY, Shen P, et al. Using electronic health record data to establish a chronic kidney disease surveillance system in China: protocol for the China Kidney Disease Network (CK-NET)-Yinzhou Study[J]. BMJ Open, 2019, 9(8):e030102. DOI:10.1136/bmjopen-2019-030102.
- [11] 林鸿波,沈鹏,孙焯祥,等.基于大数据建立传染病监测预警响应模式的探索与实践[J].中国卫生信息管理杂志,2020,17(4):416-421. DOI:10.3969/j.issn.1672-5166.2020.04.03.
- [12] Lin HB, Shen P, Sun YX, et al. Exploration and practice of infectious disease surveillance and early warning and response mode based on big data[J]. Chin J Health Info Manag, 2020, 17(4):416-421. DOI:10.3969/j.issn.1672-5166.2020.04.03.
- [13] 孙焯祥,吕筠,沈鹏,等.宁波市鄞州区健康大数据平台在新型冠状病毒肺炎疫情病例发现中的应用探索[J].中华流行病学杂志,2020,41(10):1611-1615. DOI:10.3760/cma.j.cn112338-20200608-00818.
- [14] Sun YX, Lyu J, Shen P, et al. Application of healthcare big data in active case finding of COVID-19 in Yinzhou district of Ningbo[J]. Chin J Epidemiol, 2020, 41(10):1611-1615. DOI:10.3760/cma.j.cn112338-20200608-00818.
- [15] 平建明,林鸿波,沈鹏,等.基于区域卫生信息平台的传染病自动化报告系统[J].上海预防医学,2017,29(7):549-551. DOI:10.19428/j.cnki.sjpm.2017.07.011.
- [16] Ping JM, Lin HB, Shen P, et al. Automatic reporting system of infectious diseases based on regional health information platform[J]. Shanghai J Prev Med, 2017, 29(7):549-551. DOI:10.19428/j.cnki.sjpm.2017.07.011.
- [17] 吴晨,江涛,吴昊澄,等.浙江省基于区域信息平台自动采集模式的传染病信息报告质量评价[J].疾病监测,2020,35(7):651-655. DOI:10.3784/jbjc.202012300448.
- [18] Wu C, Jiang T, Wu HC, et al. Evaluation of disease information reporting quality based on automatic collection mode of regional information platform in Zhejiang[J]. Dis Surveill, 2020, 35(7): 651-655. DOI: 10.3784/jbjc.202012300448.
- [19] 孙焯祥,沈鹏,张敬谊,等.基于健康大数据平台的鄞州区新型冠状病毒肺炎监测病例流行病学特征分析[J].中华流行病学杂志,2020,41(8):1220-1224. DOI:10.3760/cma.j.cn112338-20200409-00540.
- [20] Sun YX, Shen P, Zhang JY, et al. Epidemiological characteristics of COVID-19 monitoring cases in Yinzhou district based on health big data platform[J]. Chin J Epidemiol, 2020, 41(8): 1220-1224. DOI: 10.3760/cma. j. cn112338-20200409-00540.
- [21] 李小勇,王慧."菲特"台风水灾前后相关疾病监测结果分析[J].浙江预防医学,2014,26(10):1005-1006. DOI:10.19485/j.cnki.issn1007-0931.2014.10.009.
- [22] Li XY, Wang H. Monitoring results of related diseases before and after "Typhoon Fitow"[J]. Zhejiang J Prev Med, 2014, 26(10):1005-1006. DOI:10.19485/j.cnki.issn1007-0931.2014.10.009.
- [23] Li Q, Hu Y, Zhong YP, et al. Using the Immunization information system to determine vaccination coverage rates among children aged 1-7 Years: a report from Zhejiang Province, China[J]. Int J Environ Res Public Health, 2014, 11(3): 2713-2728. DOI: 10.3390/ijerph110302713.
- [24] 孙焯祥,林鸿波,马寅,等.浙江省宁波市鄞州区2015年1~3岁儿童免疫规划疫苗接种率监测评价[J].中国疫苗和免疫,2017,23(1):96-100,114.
- [25] Sun YX, Lin HB, Ma Y, et al. Coverage rates of national immunization program vaccines among 1-3 year old children in Yinzhou district, Ningbo city, Zhejiang province, 2015[J]. Chin J Vacc Immun, 2017, 23(1): 96-100, 114.
- [26] 孙焯祥,林鸿波,沈鹏,等.首剂脊髓灰质炎灭活疫苗纳入免疫规划对儿童脊髓灰质炎疫苗基础免疫接种的影响[J].中国疫苗和免疫,2018,24(2):169-175.
- [27] Sun YX, Lin HB, Shen P, et al. Impact of introducing inactivated poliovirus vaccine into the Expanded Program on Immunization on primary polio vaccination of children [J]. Chin J Vacc Immun, 2018, 24(2):169-175.
- [28] Liu ZK, Zhang L, Yang Y, et al. Active Surveillance of adverse events following human papillomavirus vaccination: feasibility pilot study based on the regional health care information platform in the city of Ningbo, China[J]. J Med Internet Res, 2020, 22(6): e17446. DOI: 10.2196/17446.
- [29] Huang K, Tao S, Zhou XF, et al. Incidence rates of health outcomes of interest among Chinese children exposed to selected vaccines in Yinzhou Electronic Health Records: A population-based retrospective cohort study[J]. Vaccine, 2020, 38(18): 3422-3428. DOI: 10.1016/j.vaccine.2020.03.013.
- [30] Pan XQ, Shu MM, Ma R, et al. Varicella breakthrough infection and effectiveness of 2-dose varicella vaccine in China[J]. Vaccine, 2018, 36(37):5665-5670. DOI:10.1016/j.vaccine.2018.05.025.
- [31] 林鸿波,陈奕,沈鹏,等.社区糖尿病患者慢性肾脏病的发病率及其危险因素[J].北京大学学报:医学版,2018,50(3):416-421. DOI:10.3969/j.issn.1671-167X.2018.03.005.
- [32] Lin HB, Chen Y, Shen P, et al. Incidence and risk factors of chronic kidney disease in community-based patients with diabetes[J]. J Peking Univ: Health Sci, 2018, 50(3): 416-421. DOI:10.3969/j.issn.1671-167X.2018.03.005.
- [33] 董芬,孙灵英,俞紫莲,等.基于区域卫生信息平台的糖尿病健康管理模式探讨[J].中国公共卫生管理,2018,34(3):343-345. DOI:10.19568/j.cnki.23-1318.2018.03.015.
- [34] Dong F, Sun LY, Yu ZL, et al. Discussion on health management model of diabetes mellitus based on regional health information platform[J]. Chin J Public Health Manag, 2018, 34(3): 343-345. DOI: 10.19568/j.cnki.23-1318.2018.03.015.