











1244. DOI:10.3760/cma.j.issn.0254-6450.2010.11.009.
- Yang WZ, Lan YJ, Li ZJ, et al. The application of national outbreak automatic detection and response system, China [J]. Chin J Epidemiol, 2010, 31(11): 1240-1244. DOI: 10.3760/cma.j.issn.0254-6450.2010.11.009.
- [24] Zhang HL, Wang LP, Lai SJ, et al. Surveillance and early warning systems of infectious disease in China: From 2012 to 2014[J]. Int J Health Plann Manag, 2017, 32(3): 329-338. DOI:10.1002/hpm.2434.
- [25] Vlieg WL, Fanoy EB, van Asten L, et al. Comparing national infectious disease surveillance systems: China and the Netherlands[J]. BMC Public Health, 2017, 17(1): 415. DOI:10.1186/s12889-017-4319-3.
- [26] Cakici B, Hebing K, Grünewald M, et al. CASE:a framework for computer supported outbreak detection[J]. BMC Med Inform Decis Mak, 2010, 10:14. DOI: 10.1186/1472-6947-10-14.
- [27] Alsentzer E, Ballard SB, Neyra J, et al. Assessing 3 outbreak detection algorithms in an electronic syndromic surveillance system in a resource-limited setting[J]. Emerg Infect Dis, 2020, 26(9):2196-2200. DOI: 10.3201/eid2609.191315.
- [28] Public Health England. Syndromic surveillance: systems and analyses[EB/OL]. (2014-08-19) [2021-05-10]. <https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses>.
- [29] Centers for Disease Control and Prevention. National syndromic surveillance program[EB/OL]. [2021-05-10]. <https://www.cdc.gov/nssp/index.html>.
- [30] Rolland C, Lazarus C, Giese C, et al. Early detection of public health emergencies of international concern through undiagnosed disease reports in ProMED-mail[J]. Emerg Infect Dis, 2020, 26(2): 336-339. DOI: 10.3201/eid2602.191043.
- [31] Jin LM, Ma JQ, Lv WJ, et al. Chapter 5 - Development of early warning information systems[M]//Yang WZ. Early warning for infectious disease outbreak: theory and practice. New York: Academic Press, 2017:99-112.
- [32] 杨维中, 兰亚佳, 吕炜, 等. 建立我国传染病智慧化预警多点触发机制和多渠道监测预警机制[J]. 中华流行病学杂志, 2020, 41(11): 1753-1757. DOI: 10.3760/cma.j.cn112338-20200722-00972.
- Yang WZ, Lan YJ, Lyu W, et al. Establishment of multi-point trigger and multi-channel surveillance mechanism for intelligent early warning of infectious diseases in China[J]. Chin J Epidemiol, 2020, 41(11): 1753-1757. DOI: 10.3760/cma.j.cn112338-20200722-00972.
- [33] Kogan NE, Clemente L, Liautaud P, et al. An early warning approach to monitor COVID-19 activity with multiple digital traces in near real time[J]. Sci Adv, 2021, 7(10): eabd6989. DOI:10.1126/sciadv.abd6989.
- [34] Lampos V, Majumder MS, Yom-Tov E, et al. Tracking COVID-19 using online search[J]. npj Digit Med, 2021, 4(1):17. DOI:10.1038/s41746-021-00384-w.
- [35] Lai SJ, Ruktanonchai NW, Zhou LC, et al. Effect of non-pharmaceutical interventions to contain COVID-19 in China[J]. Nature, 2020, 585(7825):410-413. DOI:10.1038/s41586-020-2293-x.
- [36] Tian HY, Liu YH, Li YD, et al. An investigation of transmission control measures during the first 50 days of the COVID-19 epidemic in China[J]. Science, 2020, 368(6491):638-642. DOI:10.1126/science.abb6105.
- [37] Kraemer MUG, Yang CH, Gutierrez B, et al. The effect of human mobility and control measures on the COVID-19 epidemic in China[J]. Science, 2020, 368(6490):493-497. DOI:10.1126/science.abb4218.
- [38] Bengtsson L, Gaudart J, Lu X, et al. Using mobile phone data to predict the spatial spread of cholera[J]. Sci Rep, 2015, 5:8923. DOI:10.1038/srep08923.
- [39] Peak CM, Wesolowski A, Zu Erbach-Schoenberg E, et al. Population mobility reductions associated with travel restrictions during the Ebola epidemic in Sierra Leone: use of mobile phone data[J]. Int J Epidemiol, 2018, 47(5): 1562-1570. DOI:10.1093/ije/dyy095.
- [40] Wesolowski A, Buckee CO, Bengtsson L, et al. Commentary: containing the Ebola outbreak-the potential and challenge of mobile network data[J]. PLoS Curr, 2014, 6. DOI: 10.1371/currents.outbreaks.0177e7fcf52217b8b634376e2f3efc5e.
- [41] Yin L, Zhang H, Li Y, et al. Effectiveness of contact tracing, mask wearing and prompt testing on suppressing COVID-19 resurgences in megacities: an individual-based modelling study[J]. SSRN, 2021. DOI:10.2139/ssrn.3750214.
- [42] Huang B, Wang JH, Cai JX, et al. Integrated vaccination and physical distancing interventions to prevent future COVID-19 waves in Chinese cities[J]. Nat Hum Behav, 2021, 5(6):695-705. DOI:10.1038/s41562-021-01063-2.
- [43] Lai SJ, Ruktanonchai NW, Carioli A, et al. Assessing the effect of global travel and contact restrictions on mitigating the COVID-19 pandemic[J]. Engineering, 2021. DOI:10.1016/j.eng.2021.03.017.
- [44] Yang J, Li J, Lai SJ, et al. Uncovering two phases of early intercontinental COVID-19 transmission dynamics[J]. J Travel Med, 2020, 27(8): taaa200. DOI: 10.1093/jtm/taaa200.
- [45] Ruktanonchai NW, Floyd JR, Lai S, et al. Assessing the impact of coordinated COVID-19 exit strategies across Europe[J]. Science, 2020, 369(6510): 1465-1470. DOI: 10.1126/science.abc5096.
- [46] Li RY, Chen B, Zhang T, et al. Global COVID-19 pandemic demands joint interventions for the suppression of future waves[J]. Proc Natl Acad Sci USA, 2020, 117(42): 26151-26157. DOI:10.1073/pnas.2012002117.
- [47] World Health Organization. WHO, Germany launch new global hub for pandemic and epidemic intelligence[EB/OL]. (2021-05-05) [2021-05-10]. <https://www.who.int/news-room/item/05-05-2021-who-germany-launch-new-global-hub-for-pandemic-and-epidemic-intelligence>.