DOI:10.1016/j.jinf.2020.03.013.

[44] Zheng SF, Fan J, Yu F, et al. Viral load dynamics and disease severity in patients infected with SARS-CoV-2 in Zhejiang province, China, January-March 2020: retrospective cohort study[J]. BMJ, 2020, 369:m1443. DOI: 10.1136/bmj.m1443.

[45] de Jesus RP, Silva R, Aliyeva E, et al. Reactivation of SARS-CoV-2 after asymptomatic infection while on high-dose corticosteroids. Case report[J]. SN Comprehens Clin Med, 2020, 2(11): 2402-2405. DOI: 10.1007/s42399-020-00548-x.

[46] Lafaie L, Célarier T, Goethals L, et al. Recurrence or relapse of COVID-19 in older patients: a description of three cases[J]. J Am Geriatr Soc, 2020, 68(10):2179-2183. DOI:10.1111/jgs.16728.

[47] Zou Y, Wang BR, Sun L, et al. The issue of recurrently positive patients who recovered from COVID-19 according to the current discharge criteria: investigation of patients from multiple medical institutions in Wuhan, China[J]. J Infect Dis, 2020, 222(11): 1784-1788. DOI: 10.1093/infdis/jiaa301.

[48] Shui TJ, Li C, Liu HB, et al. Characteristics of recovered COVID-19 patients with recurrent positive RT-PCR findings in Wuhan, China: a retrospective study[J]. BMC Infect Dis, 2020, 20(1): 749. DOI: 10.1186/s12879-020-05463-z.

[49] Chen J, Xu XP, Hu J, et al. Clinical course and risk factors for recurrence of positive SARS-CoV-2 RNA: a retrospective cohort study from Wuhan, China[J]. Aging, 2020, 12(17):16675-16689. DOI:10.18632/aging.103795.

[50] Wölfel R, Corman VM, Guggemos W, et al. Virological assessment of hospitalized patients with COVID-2019[J]. Nature, 2020, 581(7809):465-469. DOI:10.1038/s41586-020-2196-x.

[51] 秦维超, 孙贵银, 张运洪, 等. 3 例COVID-19 出院后核酸复检阳性患者的检测分析[J]. 病毒学报, 2020, 36(4): 554-559. DOI:10.13242/j.cnki.bingduxuebao.003722.
Qin WC, Sun GY, Zhang YH, et al. Patients with COVID-19 testing positive for nucleic acids of SARS-CoV-2 in Re-examination after discharge from hospital: an analysis of three cases[J]. Chin J Virol, 2020, 36(4): 554-559. DOI: 10.13242/j.cnki.bingduxuebao.003722.

[52] Hu FY, Chen FJ, Ou ZH, et al. A compromised specific humoral immune response against the SARS-CoV-2 receptor-binding domain is related to viral persistence and periodic shedding in the gastrointestinal tract[J]. Cell Mol Immunol, 2020, 17(11): 1119-1125. DOI: 10.1038/s41423-020-00550-2.

[53] Kang YJ. South Korea's COVID-19 infection status: from the perspective of re-positive test results after viral clearance evidenced by negative test results[J]. Disaster Med Public, 2020, 14(6): 762-764. DOI: 10.1017/dmp.2020.168.

[54] Choi B, Choudhary MC, Regan J, et al. Persistence and evolution of SARS-CoV-2 in an immunocompromised host [J]. N Engl J Med, 2020, 383(23):2291-2293. DOI:10.1056/NEJMc2031364.

[55] Li Q, Zheng XS, Shen XR, et al. Prolonged shedding of severe acute respiratory syndrome coronavirus 2 in patients with COVID-19[J]. Emerg Microbes Infect, 2020, 9(1):2571-2577. DOI:10.1080/22221751.2020.1852058.

[56] Yang ZQ, Chen XF, Huang RB, et al. Atypical presentations of coronavirus disease 2019 (COVID-19) from onset to readmission[J]. BMC Infect Dis, 2021, 21(1): 127. DOI: 10.1186/s12879-020-05751-8.

[57] Wang P. Recurrent presence of SARS-CoV-2 RNA in a 33-year-old man[J]. J Med Virol, 2021, 93(2): 592-594. DOI:10.1002/jmv.26334.

[58] Zhang B, Liu SY, Dong YH, et al. Positive rectal swabs in young patients recovered from coronavirus disease 2019 (COVID-19)[J]. J Infect, 2020, 81(2):e49-52. DOI:10.1016/j.jinf.2020.04.023.

[59] Yu J, Yen H, Huang H, et al. SARS-CoV-2 viral load in upper respiratory specimens of infected patients[J]. N England J Med, 2020, 382(12): 1177-1179. DOI: 10.1056/NEJMc2001737.

[60] Weiss A, Jellingsø M, Sommer MOA. Spatial and temporal dynamics of SARS-CoV-2 in COVID-19 patients: A systematic review and meta-analysis[J]. Ebiomedicine, 2020, 58:102916. DOI:10.1016/j.ebiom.2020.102916.

[61] Yao XH, He ZC, Li TY, et al. Pathological evidence for residual SARS-CoV-2 in pulmonary tissues of a ready-for-discharge patient[J]. Cell Res, 2020, 30(6):541-543. DOI:10.1038/s41422-020-0318-5.

[62] Russell CD, Millar JE, Baillie JK. Clinical evidence does not support corticosteroid treatment for 2019-nCoV lung injury[J]. The Lancet, 2020, 395(10223): 473-475. DOI: 10.1016/S0140-6736(20)30317-2.

[63] Elberry MH, Ahmed H. Occult SARS-CoV-2 infection; a possible hypothesis for viral relapse[J]. Med Hypotheses, 2020, 144:109980. DOI:10.1016/j.mehy.2020.109980.

[64] Walsh KA, Jordan K, Clyne B, et al. SARS-CoV-2 detection, viral load and infectivity over the course of an infection [J]. J Infect, 2020, 81(3): 357-371. DOI: 10.1016/j. jinf. 2020.06.067.

[65] Xiao AT, Tong YX, Zhang S. Profile of RT-PCR for SARS-CoV-2: a preliminary study from 56 COVID-19 patients[J]. Clin Infect Dis, 2020, 71(16):2249-2251. DOI: 10.1093/cid/ciaa460.

[66] Carmo A, Pereira-Vaz J, Mota V, et al. Clearance and persistence of SARS-CoV-2 RNA in patients with COVID-19[J]. J Med Virol, 2020, 92(10): 2227-2231. DOI: 10.1002/jmv.26103.

[67] Li N, Wang X, Lv TF. Prolonged SARS-CoV-2 RNA shedding: Not a rare phenomenon[J]. J Med Virol, 2020, 92(11): 2286-2287. DOI:10.1002/jmv.25952.

[68] Liu WD, Chang SY, Wang JT, et al. Prolonged virus shedding even after seroconversion in a patient with COVID-19[J]. J Infect, 2020, 81(2):318-356. DOI:10.1016/j.jinf.2020.03.063.

[69] van Kampen JJA, van de Vijver DAMC, Fraaij PLA, et al. Duration and key determinants of infectious virus shedding in hospitalized patients with coronavirus disease-2019 (COVID-19) [J]. Nat Commun, 2021, 12(1): 267. DOI:10.1038/s41467-020-20568-4.