















利益冲突 所有作者声明无利益冲突

作者贡献声明 钟盼亮:分析/解释数据、撰写论文、统计分析;刘云飞:分析/解释数据、对论文的知识性内容作批评性审阅、统计分析、指导;马宁、党佳佳、董彦会、陈曼曼、马涛、马莹、陈力、师婧:分析/解释数据;宋逸:酝酿和设计实验、获取研究经费、指导

### 参 考 文 献

- [1] 中华人民共和国国家卫生健康委员会.《儿童青少年近视防控适宜技术指南(更新版)》及解读[EB/OL]. (2021-10-11) [2021-10-28]. <http://www.nhc.gov.cn/jkj/s5899tg/202110/65a3a99c42a84e3f8a11f392d9fea91e.shtml>.
- [2] He MG, Xiang F, Zeng YF, et al. Effect of time spent outdoors at school on the development of myopia among children in China a randomized clinical trial[J]. JAMA, 2015, 314(11): 1142-1148. DOI: 10.1001/jama.2015.10803.
- [3] Holden BA, Fricke TR, Wilson DA, et al. Global prevalence of myopia and high myopia and temporal trends from 2000 through 2050[J]. Ophthalmology, 2016, 123(5): 1036-1042. DOI:10.1016/j.ophtha.2016.01.006.
- [4] 中华人民共和国国家卫生健康委员会.国家卫生健康委员会 2021 年 7 月 13 日新闻发布会文字实录[EB/OL]. (2021-07-13) [2021-10-28]. <http://www.nhc.gov.cn/xcs/s3574/202107/2fef24a3b77246fc9fb36dc8943af700.shtml>.
- [5] Sun HP, Li A, Xu Y, et al. Secular trends of reduced visual acuity from 1985 to 2010 and disease burden projection for 2020 and 2030 among primary and secondary school students in China[J]. JAMA Ophthalmol, 2015, 133(3): 262-268. DOI:10.1001/jamaophthalmol.2014.4899.
- [6] Morgan IG, Ohno-Matsui K, Saw SM. Myopia[J]. Lancet, 2012, 379(9827): 1739-1748. DOI: 10.1016/S0140-6736(12)60272-4.
- [7] Jones LA, Sinnott LT, Mutti DO, et al. Parental history of myopia, sports and outdoor activities, and future myopia [J]. Invest Ophthalmol Visual Sci, 2007, 48(8):3524-3532. DOI:10.1167/iovs.06-1118.
- [8] French AN, Morgan IG, Mitchell P, et al. Risk factors for incident myopia in Australian schoolchildren: the Sydney adolescent vascular and eye study[J]. Ophthalmology, 2013, 120(10): 2100-2108. DOI: 10.1016/j.ophtha.2013.02.035.
- [9] Wu PC, Tsai CL, Wu HL, et al. Outdoor activity during class recess reduces myopia onset and progression in school children[J]. Ophthalmology, 2013, 120(5): 1080-1085. DOI:10.1016/j.ophtha.2012.11.009.
- [10] 中华人民共和国国家质量监督检验检疫总局, 中国国家标准化管理委员会. GB/T 11533-2011 标准对数视力表[S]. 北京:中国标准出版社, 2012. General Administration of Quality Supervision, Inspection and Quarantine of the People's Republic of China, China National Standardization Administration. GB/T 11533-2011 Standard for logarithmic visual acuity charts[S]. Beijing:China Standards Press, 2012.
- [11] Negrel AD, Maul E, Pokharel GP, et al. Refractive error study in children: sampling and measurement methods for a multi-country survey[J]. Am J Ophthalmol, 2000, 129(4):421-426. DOI:10.1016/s0002-9394(99)00455-9.
- [12] 中华人民共和国教育部.教育部等六部门关于开展 2019 年全国学生体质与健康调研及国家学生体质健康标准抽查复核工作的通知[EB/OL]. (2019-07-12) [2022-04-15]. [http://www.moe.gov.cn/srcsite/A17/moe\\_943/moe\\_946/201907/t20190724\\_392121.html](http://www.moe.gov.cn/srcsite/A17/moe_943/moe_946/201907/t20190724_392121.html).
- [13] 徐荣彬,高迪,王政和,等.2016 年中国学生户外活动时间现状分析[J]. 中国儿童保健杂志, 2018, 26(3):254-257. DOI:10.11852/zgetbjzz2018-26-03-07.
- Xu RB, Gao D, Wang ZH, et al. Analysis of the current status of outdoor activity time of Chinese students in 2016[J]. Chin J Child Health Care, 2018, 26(3):254-257. DOI:10.11852/zgetbjzz2018-26-03-07.
- [14] 韩卫民,陈晶琦.北京通州区城区 2006-2010 年学生视力不良状况分析[J]. 中国学校卫生, 2012, 33(4):451-452. DOI: 10.16835/j.cnki.1000-9817.2012.04.029.
- Han WM, Chen JQ. Prevalence of poor eyesight among students of 4 schools from 2006 to 2010 in the urban area of Tongzhou district, Beijing[J]. Chin J School Health, 2012, 33(4): 451-452. DOI: 10.16835/j.cnki.1000-9817.2012.04.029.
- [15] Foster PJ, Jiang Y. Epidemiology of myopia[J]. Eye (Lond), 2014, 28(2):202-208. DOI:10.1038/eye.2013.280.
- [16] 田飞飞,刘丽娟,郭寅,等.眼保健操对初中生眼轴增长的影响[J]. 中华流行病学杂志, 2021, 42(9):1621-1627. DOI:10.3760/cma.j.cn112338-20201118-01338.
- Tian FF, Liu LJ, Guo Y, et al. Effects of eye exercises on axial eye elongation in junior students[J]. Chin J Epidemiol, 2021, 42(9): 1621-1627. DOI: 10.3760/cma.j.cn112338-20201118-01338.
- [17] 刘益帆,贾智艳,刘平.青少年近视危险因素综述[J]. 国际眼科杂志, 2016, 16(7):1276-1278. DOI: 10.3980/j.issn.1672-5123.2016.7.17.
- Liu YF, Jia ZY, Liu P. Review of juvenile myopia risk factors [J]. Int Eye Sci, 2016, 16(7): 1276-1278. DOI: 10.3980/j.issn.1672-5123.2016.7.17.
- [18] 闫瑾,王莉,杨扬.近视的危险因素及流行病学研究进展[J]. 眼科新进展, 2015, 35(9):896-900. DOI:10.13389/j.cnki.rao.2015.0245.
- Yan J, Wang L, Yang Y. Recent advances in risk factors and epidemiology of myopia[J]. Rec Adv Ophthalmol, 2015, 35(9):896-900. DOI:10.13389/j.cnki.rao.2015.0245.
- [19] Zhang XJ, Cheung SSL, Chan HN, et al. Myopia incidence and lifestyle changes among school children during the COVID-19 pandemic: a population-based prospective study[J]. Br J Ophthalmol, 2021. DOI:10.1136/bjophthalmol-2021-319307.
- [20] Li SM, Li H, Li SY, et al. Time outdoors and myopia progression over 2 years in Chinese children: the Anyang childhood eye study[J]. Invest Ophthalmol Vis Sci, 2015, 56(8):4734-4740. DOI:10.1167/iovs.14-15474.
- [21] Hu Y, Zhao F, Ding XH, et al. Rates of myopia development in young Chinese schoolchildren during the outbreak of COVID-19[J]. JAMA Ophthalmol, 2021, 139(10): 1115-1121. DOI:10.1001/jamaophthalmol.2021.3563.
- [22] Morgan IG, Wu PC, Ostrin LA, et al. IMI Risk factors for myopia[J]. Invest Ophthalmol Vis Sci, 2021, 62(5):3. DOI: 10.1167/iovs.62.5.3.
- [23] 徐超立,吴建峰,毕宏生.多巴胺在近视发生发展中的作用[J]. 眼科新进展, 2014, 34(1):86-90. DOI:10.13389/j.cnki.rao.2014.0024.
- Xu CL, Wu JF, Bi HS. Role of dopamine in the development of myopia[J]. Rec Adv Ophthalmol, 2014, 34(1): 86-90. DOI:10.13389/j.cnki.rao.2014.0024.
- [24] 瞿佳,李瑾.近视眼发生和发展机制研究的新进展[J]. 中华眼科杂志, 2021, 57(4): 311-314. DOI: 10.3760/cma.j.cn112142-20210208-00084.
- Qu J, Li J. New progress in the research on the mechanism of myopia occurrence and development[J]. Chin J Ophthalmol, 2021, 57(4): 311-314. DOI: 10.3760/cma.j.cn112142-20210208-00084.
- [25] 中华人民共和国教育部.中共中央办公厅 国务院办公厅印发《关于进一步减轻义务教育阶段学生作业负担和校外培训负担的意见》[EB/OL]. (2020-07-24) [2021-11-12]. [http://www.moe.gov.cn/jyb\\_xxgk/moe\\_1777/moe\\_1778/202107/t20210724\\_546576.html](http://www.moe.gov.cn/jyb_xxgk/moe_1777/moe_1778/202107/t20210724_546576.html).