













部验证区分度良好,校准度良好,可以用于一般人群,为个人对自身宫颈癌发病风险的评估提供依据。

**利益冲突** 所有作者声明无利益冲突

**作者贡献声明** 李沛:设计和实施研究、整理数据、统计分析、文章撰写;刘志科、赵厚宇:设计研究、文章审阅、指导;刘学洋:文章审阅、指导;沈鹏、林鸿波:文章审阅、行政、技术支持;詹思延:文章审阅、指导、经费支持;孙凤:设计研究、文章审阅、指导、经费支持

### 参 考 文 献

- [1] Buskwofie A, David-West G, Clare CA. A review of cervical cancer: incidence and disparities[J]. J Natl Med Assoc, 2020, 112(2):229-232. DOI:10.1016/j.jnma.2020.03.002.
- [2] 胡尚英,郑荣寿,赵方辉,等. 1989至2008年中国女性宫颈癌发病和死亡趋势分析[J]. 中国医学科学院学报, 2014, 36(2):119-125. DOI:10.3881/j.issn.1000-503X.2014.02.001. Hu SY, Zheng RS, Zhao FH, et al. Trend analysis of cervical cancer incidence and mortality rates in Chinese women during 1989-2008[J]. Acta Acad Med Sin, 2014, 36(2): 119-125. DOI:10.3881/j.issn.1000-503X.2014.02.001.
- [3] Arbyn M, Weiderpass E, Bruni L, et al. Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis[J]. Lancet Glob Health, 2020, 8(2): e191-203. DOI:10.1016/S2214-109X(19)30482-6.
- [4] 孟令昊,胥艳秋,李科,等. 1990-2019年中国女性宫颈癌疾病负担变化的分析[J]. 中国循证医学杂志, 2021, 21(6): 648-653. DOI:10.7507/1672-2531.202101091. Meng LH, Xu QY, Li K, et al. The burden of disease of Chinese females cervical cancer from 1990 to 2019[J]. Chin J Evidence-Based Med, 2021, 21(6): 648-653. DOI: 10.7507/1672-2531.202101091.
- [5] Crosbie EJ, Einstein MH, Franceschi S, et al. Human papillomavirus and cervical cancer[J]. Lancet, 2013, 382 (9895):889-899. DOI:10.1016/S0140-6736(13)60022-7.
- [6] 赖江宜,吴夏秋. 杭州市女大学生人乳头瘤病毒及其疫苗认知和接种意愿调查[J]. 中国疫苗和免疫, 2019, 25(3): 303-307. DOI:10.19914/j.cjvi.2019.03.016. Lai JY, Wu XQ. Knowledge about human papillomavirus (HPV) and HPV vaccine and willingness to receive HPV vaccination among female college students of Hangzhou city[J]. Chin J Vaccines Immun, 2019, 25(3):303-307. DOI: 10.19914/j.cjvi.2019.03.016.
- [7] 史金晶. 四省监护人对9-14岁女孩接种人乳头瘤病毒疫苗接受度的现况调查[D]. 北京:中国疾病预防控制中心, 2020. DOI:10.27511/d.cnki.gzyyy.2020.000028. Shi JJ. Acceptability of human papillomavirus vaccine for 9-14-year-old girls among parents in four provinces of China[D]. Beijing:Chinese Center for Disease Control and Prevention, 2020. DOI: 10.27511/d.cnki.gzyyy. 2020. 000028.
- [8] 中华预防医学会妇女保健分会. 子宫颈癌综合防控指南[M]. 北京:人民卫生出版社, 2017. Chinese Preventive Medicine Association Women's Health Branch. Guideline for comprehensive prevention and control of cervical cancer[M]. Beijing: People's Medical Publishing House, 2017.
- [9] Collins GS, Reitsma JB, Altman DG, et al. Transparent reporting of a multivariable prediction model for individual prognosis or diagnosis (TRIPOD): the TRIPOD statement[J]. BMJ, 2015, 350: g7594. DOI: 10.1136/bmj.g7594.
- [10] Charlton BM, Carwile JL, Michels KB, et al. A cervical abnormality risk prediction model: can we use clinical information to predict which patients with ASCUS/LSIL Pap tests will develop CIN 2/3 or AIS? [J]. J Low Genit Tract Dis, 2013, 17(3):242-247. DOI:10.1097/LGT.0b013e3182730fec.
- [11] Vukovic D, Antic L, Vasiljevic M, et al. Development of a risk index for prediction of abnormal pap test results in Serbia[J]. Asian Pac J Cancer Prev, 2015, 16(8): 3527-3531. DOI:10.7314/APJCP.2015.16.8.3527.
- [12] van der Waal D, Bekkers RLM, Dick S, et al. Risk prediction of cervical abnormalities: the value of sociodemographic and lifestyle factors in addition to HPV status[J]. Prev Med, 2020, 130: 105927. DOI: 10.1016/j.ypmed.2019.105927.
- [13] 邱小萍,陶宁,谭云,等. 湖北省五峰县宫颈癌发病判别模型分析[J]. 中国公共卫生, 2010, 26(2): 245-246. DOI: 10.11847/zgggws2010-26-02-64. Qiu XP, Tao N, Tan Y, et al. Analysis of discriminant model of cervical cancer in Wufeng County, Hubei Province[J]. Chin J Public Health, 2010, 26(2):245-246. DOI:10.11847/zgggws2010-26-02-64.
- [14] Hu BC, Tao N, Zeng FY, et al. A risk evaluation model of cervical cancer based on etiology and human leukocyte antigen allele susceptibility[J]. Int J Infect Dis, 2014, 28: 8-12. DOI:10.1016/j.ijid.2014.05.015.
- [15] Chen MJ, Wang H, Liang YJ, et al. Establishment of multifactor predictive models for the occurrence and progression of cervical intraepithelial neoplasia[J]. BMC Cancer, 2020, 20(1): 926. DOI: 10.1186/s12885-020-07265-7.
- [16] Xi C, Shen JJ, Burston B, et al. Epidemiological/disease and economic burdens of cervical cancer in 2010-2014: are younger women at risk? [J] Healthcare (Basel), 2023, 11(1):144. DOI:10.3390/healthcare11010144.
- [17] Aballéa S, Beck E, Cheng X, et al. Risk factors for cervical cancer in women in China: a meta-model[J]. Womens Health (Lond), 2020, 16: 1745506520940875. DOI: 10.1177/1745506520940875.
- [18] Hemmat N, Bannazadeh Baghi H. Association of human papillomavirus infection and inflammation in cervical cancer[J]. Pathog Dis, 2019, 77(5): ftz048. DOI: 10.1093/femspd/ftz048.
- [19] de Sanjosé S, Brotons M, Pavón MA. The natural history of human papillomavirus infection[J]. Best Pract Res Clin Obstet Gynaecol, 2018, 47:2-13. DOI:10.1016/j.bpobgyn. 2017.08.015.
- [20] Ye N, Liu C, Shi P. Metabolomics analysis of cervical cancer, cervical intraepithelial neoplasia and chronic cervicitis by <sup>1</sup>H NMR spectroscopy[J]. Eur J Gynaecol Oncol, 2015, 36(2):174-180.
- [21] Nagelhout G, Ebisch RM, van der Hel O, et al. Is smoking an independent risk factor for developing cervical intra-epithelial neoplasia and cervical cancer? A systematic review and meta-analysis [J]. Expert Rev Anticancer Ther, 2021, 21(7): 781-794. DOI: 10.1080/14737140.2021.1888719.
- [22] Sugawara Y, Tsuji I, Mizoue T, et al. Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women[J]. Jpn J Clin Oncol, 2019, 49(1):77-86. DOI:10.1093/jjco/hyy158.
- [23] Su BY, Qin W, Xue F, et al. The relation of passive smoking with cervical cancer: a systematic review and meta-analysis[J]. Medicine (Baltimore), 2018, 97(46): e13061. DOI:10.1097/MD.00000000000013061.
- [24] Cohen PA, Jhingran A, Oaknin A, et al. Cervical cancer[J]. Lancet, 2019, 393(10167): 169-182. DOI: 10.1016/S0140-6736(18)32470-X.
- [25] Rothberg MB, Hu B, Lipold L, et al. A risk prediction model to allow personalized screening for cervical cancer [J]. Cancer Causes Control, 2018, 29(3): 297-304. DOI: 10.1007/s10552-018-1013-4.